# Interference Search

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	. 20	((access near server) same (ID or identif\$6) with user and group).clm.	US-PGPUB	OR	OFF	2007/04/16 08:44
L2	18	(count\$3 same (ID or identif\$6) with user same group).clm.	US-PGPUB	OR	OFF	2007/04/16 08:44
L3	2	(L1 L2) and @pd>"20061127"	US-PGPUB	OR	OFF	2007/04/16 08:44
S1	20	((access near server) same (ID or identif\$6) with user and group).clm.	US-PGPUB	OR	OFF	2007/04/16 08:43
S2 -	16	(count\$3 same (ID or identif\$6) with user same group).clm.	US-PGPUB	OR	OFF	2006/11/27 08:21

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	40	709/227.ccls. and @ad<"19990930" and 709/226.ccls.	US-PGPUB; USPAT	OR	OFF	2003/12/12 11:00
S2 .	755	709/227.ccls. and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2002/05/01 16:19
S3 ·	6	709/227.ccls. and @ad<"19990930" and MSS	US-PGPUB; USPAT	OR	OFF	2002/05/01 16:34
S4	239	709/227.ccls. and @ad<"19990930" and count\$3	US-PGPUB; USPAT	OR	OFF	2002/05/01 16:34
S5	107	709/227.ccls. and @ad<"19990930" and counter	US-PGPUB; USPAT	OR	OFF	2003/12/11 17:16
S6	0	multiple adj session adj server	US-PGPUB; USPAT	OR ·	OFF	2002/05/01 16:50
<b>S7</b>	0	max adj session adj server and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2002/05/01 16:50
S8	0	max adj sessions adj server and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2002/05/01 16:51
S9	410	709/223-229.ccls. and counter and group	US-PGPUB; USPAT	OR	OFF	2002/05/02 10:03
S10	361	709/223-229.ccls. and counter and group and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2002/05/02 17:59
S11	71	"5774670"	US-PGPUB; USPAT	OR	OFF	2002/05/02 18:00
S12	1	"5774670".pn.	US-PGPUB; USPAT	OR	OFF	2002/05/02 18:00
S13	1	"6253236".pn.	US-PGPUB; USPAT	OR	OFF	2002/05/06 10:27
S14	866	license and server and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2002/05/06 10:40
S15	492	license and server and @ad<"19990930" and group and user	US-PGPUB; USPAT	OR	OFF	2002/05/06 10:40
S16 .	405	license and server and @ad<"19990930" and group and user and database	US-PGPUB; USPAT	OR .	OFF	2002/05/06 10:41
S17	324	license and server and @ad<"19990930" and group and user and database and unique	US-PGPUB; USPAT	OR	OFF	2002/05/06 10:43
S18	261	license and server and @ad<"19980930" and group and user and database and unique	US-PGPUB; USPAT	OR	OFF	2002/05/06 10:43
S19	74	(network adj access adj server) and @ad<"19980930"	US-PGPUB; USPAT	OR	OFF	2002/05/07 11:43

			· · · · · · · · · · · · · · · · · · ·			
S20	51	(network adj access adj server) and @ad<"19980930" and port	US-PGPUB; USPAT	OR	OFF	2002/05/07 16:11
S21	13	(network adj access adj server) and @ad<"19980930" and periodic	US-PGPUB; USPAT	OR	OFF	2002/05/07 16:11
S22	1	"5671354".pn.	US-PGPUB; USPAT	OR	OFF	2002/05/09 09:24
S23	297	710/240.ccls. and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2002/09/18 18:30
524	510	709/225.ccls. and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2002/08/26 19:10
S25	2	"6078955".uref. and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2002/09/18 18:37
S26	3	709/225.ccls. and (maximum near group) and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2002/09/18 18:37
S27	145	709/223-226.ccls. and @ad<"19990930" and user near group	US-PGPUB; USPAT	OR	OFF	2002/09/20 09:55
S28	34	709/223-226.ccls. and @ad<"19990930" and user near group and counter	US-PGPUB; USPAT	OR	OFF	2007/04/11 11:51
S29	1	"6078955".pn.	US-PGPUB; USPAT	OR .	OFF	2002/09/20 11:23
S30	0	709/*.ccls. and (user near3 group) and counter and access	US-PGPUB; USPAT	OR	OFF	2002/10/01 08:22
S31	0	709/*.ccls. and (user near3 group) and counter and access\$3	US-PGPUB; USPAT	OR	OFF.	2002/10/01 08:22
. S32	0	709/*.ccls. and user and group and counter and access\$3 and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2002/10/01 08:23
S33	1201	"709"/\$.ccls. and user and group and counter and access\$3 and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2002/10/01 08:23
S34	116	"709"/\$.ccls. and (user\$1 near3 group) and counter and (access\$3 near3 user\$1) and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2002/10/01 08:24
S35	49	"709"/\$.ccls. and (user\$1 near3 group) and counter and (access\$3 near3 user\$1) and @ad<"19990930" and (network near access\$3)	US-PGPUB; USPAT	OR	OFF	2002/10/01 08:57
S36	1	"5946686".pn.	US-PGPUB; USPAT	OR	OFF	2002/10/01 08:58
S37	1	"6061740".pn.	US-PGPUB; USPAT	OR	OFF	2002/10/01 09:02

			Ι	T		
S38	1	"6192405".pn.	US-PGPUB; USPAT	OR	OFF	2002/10/01 09:07
S39	1870	707/10.ccls. and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2002/10/01 09:08
S40	. 65	707/10.ccls. and @ad<"19990930" and (access\$3 near3 server) and (group near3 user\$1) and (network near3 access\$3)	US-PGPUB; USPAT	OR	OFF	2002/10/01 10:44
S41	1	"6144959".pn.	US-PGPUB; USPAT	OR	OFF	2002/10/01 13:36
S42	1	"6078955".pn.	US-PGPUB; USPAT	OR	OFF	2002/10/01 13:36
S43	1	"6442608".pn.	US-PGPUB; USPAT	OR	OFF	2002/10/02 10:46
S44	1	"6073176".pn.	US-PGPUB; USPAT	OR	OFF	2002/10/02 10:49
S45	,577	@ad<"19990930" and ("access server" or "edge server") and (\$4operational or broke\$1 or malfunction\$3 or unaccessible)	US-PGPUB; USPAT	OR	OFF	2002/10/02 10:51
S46	3	@ad<"19990930" and ("access server" or "edge server") near3 (\$4operational or broke\$1 or malfunction\$3 or unaccessible)	US-PGPUB; USPAT	OR	OFF	2002/10/02 10:59
S47	4	@ad<"19990930" and ("access server" or "edge server") near3 (periodic\$4 or interval)	US-PGPUB; USPAT	OR	OFF	2002/10/02 11:02
S48	9	@ad<"19990930" and ("access server" or "edge server") near5 (periodic\$4 or interval)	US-PGPUB; USPAT	OR <u>.</u>	OFF	2002/10/02 11:07
S49	1	"6061740".pn.	US-PGPUB; USPAT	OR	OFF	2002/10/02 11:07

4/16/07 8:06:19 AM
C:\Documents and Settings\dblair\My Documents\EAST\workspaces\410511.wsp

				<u> </u>		
S50 4	18	(US-6073176-\$ or US-6272538-\$ or US-6349334-\$ or US-6253240-\$ or US-6253236-\$ or US-6243716-\$ or US-6230195-\$ or US-6205478-\$ or US-6192405-\$ or US-6085248-\$ or US-6086618-\$ or US-6085248-\$ or US-6079034-\$ or US-6044471-\$ or US-6009467-\$ or US-5889956-\$ or US-5862338-\$ or US-5542047-\$ or US-3633169-\$ or US-6311217-\$ or US-6377982-\$ or US-6311217-\$ or US-6377982-\$ or US-6430619-\$ or US-6377994-\$ or US-6292833-\$). did. or (US-6292798-\$ or US-6154741-\$ or US-6125394-\$ or US-6078955-\$ or US-6055637-\$ or US-5948065-\$ or US-5941948-\$ or US-5925102-\$ or US-5787427-\$ or US-59694595-\$ or US-5787427-\$ or US-5694595-\$ or US-5742759-\$ or US-5694595-\$ or US-6442608-\$ or US-6412007-\$ or US-6661740-\$ or US-6412007-\$ or US-6061740-\$ or US-5555375-\$ or US-6252878-\$). did. or (US-20020016845-\$).did.	US-PGPUB; USPAT	OR	OFF	2002/10/02 11:09
S51 1		((US-6073176-\$ or US-6272538-\$ or US-6349334-\$ or US-6253240-\$ or US-6253240-\$ or US-6253240-\$ or US-6253236-\$ or US-6205478-\$ or US-6192405-\$ or US-6151688-\$ or US-6086618-\$ or US-6085248-\$ or US-6079034-\$ or US-6044471-\$ or US-6009467-\$ or US-5889956-\$ or US-5862338-\$ or US-5542047-\$ or US-3633169-\$ or US-6314408-\$ or US-6377982-\$ or US-6311217-\$ or US-5481720-\$ or US-6430619-\$ or US-6377994-\$ or US-6292833-\$). did. or (US-6292798-\$ or US-6154741-\$ or US-6125394-\$ or US-6078955-\$ or US-6125394-\$ or US-5948065-\$ or US-5941948-\$ or US-5925102-\$ or US-5742759-\$ or US-5694595-\$ or US-5742759-\$ or US-5694595-\$ or US-5666479-\$ or US-6412007-\$ or US-661740-\$ or US-5555375-\$ or US-6252878-\$). did. or (US-20020016845-\$).did.) and periodic\$4	US-PGPUB; USPAT	OR	OFF	2002/10/02 11:36
S52	1	"6144959".pn.	US-PGPUB; USPAT	OR	OFF	2002/10/02 16:14

				· · · · · · · · · · · · · · · · · · ·		F
S53	· 1	"6252878".pn.	US-PGPUB; USPAT	OR	OFF	2002/10/03 11:45
S54	1	"6151688".pn.	US-PGPUB; USPAT	OR	OFF	2002/10/03 12:05
S55	1	"6252878".pn.	US-PGPUB; USPAT	OR	OFF	2002/10/03 12:29
S56	1	"6442608".pn.	US-PGPUB; USPAT	OR	OFF	2002/10/03 12:29
S57	2	"5844557".pn. "6442608".pn.	US-PGPUB; USPAT	OR	OFF	2003/03/11 16:03
S58	. 2	"6412007".pn. "6442608".pn.	US-PGPUB; USPAT	OR	OFF	2003/03/11 16:03
S59	1	"640833 <u></u> 6".pn.	US-PGPUB; USPAT	OR	OFF	2003/03/12 15:47
S60	1	"6408336".URPN.	USPAT	OR	OFF	2003/03/12 13:13
S61	22	("4956769"   "5012405"   "5263157"   "5263158"   "5263165"   "5652787"   "5720033"   "5787427"   "5787428"   "5796951"   "5826010"   "5835726"   "5859978"   "5862325"   "5898830"   "5931917"   "5941947"   "5991807"   "6085191"   "6105027"   "6178505"   "6253251").PN.	USPAT	OR	OFF	2003/03/12 13:15
S62	1	"6085191".pn.	US-PGPUB; USPAT	OR	OFF	2003/03/12 15:47
S63	1	"6412007".pn.	US-PGPUB; USPAT	OR	OFF	2003/07/13 16:08
S64	2	709/227.ccls. and @ad<"19990930" and 709/226.ccls. and @pd>"20030710"	US-PGPUB; USPAT	OR	OFF	2003/12/11 17:14
S65	27577 ·	(port or socket) same (ID or identif\$6)	US-PGPUB; USPAT	OR	OFF	2003/12/11 17:18
S66	2765	((port or socket) same (ID or identif\$6)) same server	US-PGPUB; USPAT	OR	OFF	2003/12/11 17:19
S67	959	(((port or socket) same (ID or identif\$6)) same server) same user	US-PGPUB; USPAT	OR	OFF	2003/12/11 17:19
S68	57792	(list or table) same (session\$1 or connection\$1)	US-PGPUB; USPAT	OR	OFF	2003/12/11 17:19
S69	97	((((port or socket) same (ID or identif\$6)) same server) same user) same ((list or table) same (session\$1 or connection\$1))	US-PGPUB; USPAT	OR	OFF	2003/12/11 17:19

			-			
S70	51	((((((port or socket) same (ID or identif\$6)) same server) same user) same ((list or table) same (session\$1 or connection\$1))) and @ad<"20000930"	US-PGPUB; USPAT	OR	OFF	2003/12/11 17:20
S71	. 39	(((((port or socket) same (ID or identif\$6)) same server) same user) same ((list or table) same (session\$1 or connection\$1))) and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2003/12/11 17:20
S72	371	707/10.ccls. and (user same (list or table)) and (group same (list or table)) and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2003/12/12 11:01
S73	48	707/10.ccls. and (user near2 (list or table)) and (group near2 (list or table)) and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2003/12/12 11:24
S74	3	"6117188".pn. "6226618".pn. "6002852".pn.	US-PGPUB; USPAT	OR	OFF	2003/12/12 11:24
S75	10575	(port or socket) near2 number	US-PGPUB; USPAT	OR	OFF	2003/12/12 12:43
S76	1966	((port or socket) near2 number) same server	US-PGPUB; USPAT	OR	OFF	2003/12/12 12:43
S77	258	(((port or socket) near2 number) same server) same unique	US-PGPUB; USPAT	OR	OFF	2003/12/12 12:44
S78	52	(((port or socket) near2 number) same server) same (unique near2 (ID or identification or value))	US-PGPUB; USPAT	OR	OFF	2003/12/12 12:44
S79	29	((((port or socket) near2 number) same server) same (unique near2 (ID or identification or value))) and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2003/12/12 13:26
S80	37	callicrate	US-PGPUB; USPAT	OR	OFF	2003/12/12 13:26
S81	18	714/25,43.ccls. and 709/225,226, 227,229.ccls.	US-PGPUB; USPAT	OR	OFF	2003/12/15 10:54
S82	16	(714/25,43.ccls. and 709/225,226, 227,229.ccls.) and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2003/12/15 10:54
S83	26	714/25,43.ccls. and 709/223.ccls.	US-PGPUB; USPAT	OR	OFF	2003/12/15 11:13
S84	21	(714/25,43.ccls. and 709/223.ccls.) and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2003/12/15 10:54
S85	4	714/25,43.ccls. and 707/10.ccls.	US-PGPUB; USPAT	OR	OFF	2003/12/15 11:12
S86	1	714/25,43.ccls. and 713/201.ccls.	US-PGPUB; USPAT	OR	OFF.	2003/12/15 11:12

					···	·
S87	41	714/25,43.ccls. and 709/224.ccls.	US-PGPUB; USPAT	OR	OFF	2003/12/15 11:13
S88	23	(714/25,43.ccls. and 709/224.ccls.) not ((714/25,43.ccls. and 709/223. ccls.) and @ad<"19990930") not ((714/25,43.ccls. and 709/225,226, 227,229.ccls.) and @ad<"19990930")	US-PGPUB; USPAT	OR	OFF	2003/12/15 11:13
S89	17	((714/25,43.ccls. and 709/224.ccls.) not ((714/25,43.ccls. and 709/223. ccls.) and @ad<"19990930") not ((714/25,43.ccls. and 709/225,226, 227,229.ccls.) and @ad<"19990930")) and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2003/12/15 11:21
S90	1785	server same (count\$3 or number) near2 (total or max\$4 or threshold)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/15 11:18
S91 <sup>-</sup>	750	(server same (count\$3 or number) near2 (total or max\$4 or threshold)) same (user\$1 or connection\$1 or session\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2003/12/15 11:19
S92	80441	(socket or port) same number	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/15 11:23
S93	6799	((socket or port) same number) same (unique or identif\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/15 11:23
S94	8	((server same (count\$3 or number) near2 (total or max\$4 or threshold)) same (user\$1 or connection\$1 or session\$1)) same (((socket or port) same number) same (unique or identif\$6))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/15 11:20
S95	4	(((server same (count\$3 or number) near2 (total or max\$4 or threshold)) same (user\$1 or connection\$1 or session\$1)) same (((socket or port) same number) same (unique or identif\$6))) and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2003/12/15 11:24
S96	9788	(socket or port) near2 number	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/15 11:23

S97	2142	((socket or port) near2 number) same (unique or identif\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/28 15:40
S98	59	(((socket or port) near2 number) same (unique or identif\$6)) and ((server same (count\$3 or number) near2 (total or max\$4 or threshold)) same (user\$1 or connection\$1 or session\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/15 11:24
S99	52	((((socket or port) near2 number) same (unique or identif\$6)) and ((server same (count\$3 or number) near2 (total or max\$4 or threshold)) same (user\$1 or connection\$1 or session\$1))) and @ad<"19990930"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/15 12:55
S10 0	5213	access near server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/15 12:55
S10 1	68	(access near server) near4 distribut\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/15 12:56
S10 2	525	(access near server) same distribut\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/15 12:56
S10 3	14	((access near server) same distribut\$3) same (error or fail\$3 or crash\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/15 12:56
S10 4	10	(((access near server) same distribut\$3) same (error or fail\$3 or crash\$3)) and @ad<"19990930"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/15 12:57
S10 5	1479	log\$4 same server same port	US-PGPUB; USPAT	OR	OFF	2003/12/28 14:53
S10 6	324	(name or id or identification or unique) near4 port same port near2 server	US-PGPUB; USPAT	OR	OFF	2003/12/28 14:54
S10 7	181191	(count or total or maximum or number) same (session\$1 or log\$4)	US-PGPUB; USPAT	OR	OFF	2003/12/28 15:42
S10 8	62	((name or id or identification or unique) near4 port same port near2 server) same ((count or total or maximum or number) same (session\$1 or log\$4))	US-PGPUB; USPAT	OR	OFF	2003/12/28 14:55

					<u> </u>	
S10 9	21	(((name or id or identification or unique) near4 port same port near2 server) same ((count or total or maximum or number) same (session\$1 or log\$4))) and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2003/12/28 15:37
S11 0	. 2	"6412007".uref.	US-PGPUB; USPAT	OR	OFF	2003/12/28 15:38
S11 1	2450	((socket or port) near2 number) same (unique or identif\$6 or id)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2003/12/28 15:40
S11 2	489	(((socket or port) near2 number) same (unique or identif\$6 or id)) same server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/28 15:41
S11 3	143	((((socket or port) near2 number) same (unique or identif\$6 or id)) same server) same (session\$1 or log\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/28 15:41
S11 4	. 0	"L18" same (((((socket or port) near2 number) same (unique or identif\$6 or id)) same server) same (session\$1 or log\$4))	US-PGPUB; USPAT	OR	OFF	2003/12/28 15:42
S11 5	136	((count or total or maximum or number) same (session\$1 or log\$4)) same (((((socket or port) near2 number) same (unique or identif\$6 or id)) same server) same (session\$1 or log\$4))	US-PGPUB; USPAT	OR	OFF	2003/12/28 15:43
S11 6	38	(((count or total or maximum or number) same (session\$1 or log\$4)) same (((((socket or port) near2 number) same (unique or identif\$6 or id)) same server) same (session\$1 or log\$4))) same unique	US-PGPUB; USPAT	OR	OFF	2003/12/28 15:43
S11 7	32	((((count or total or maximum or number) same (session\$1 or log\$4)) same (((((socket or port) near2 number) same (unique or identif\$6 or id)) same server) same (session\$1 or log\$4))) same unique) and @ad<"19990930"	US-PGPUB; USPAT	OR,	OFF	2003/12/28 15:43
S11 8	1111	714/4.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/07 11:59
S11 9	5769	709/223-224.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/07 12:00
S12 0	11635	709/223-229.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/07 12:00

					· · · · · · · · · · · · · · · · · · ·	
S12 1	140	714/4.ccls. and 709/223-229.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/07 12:00
S12 2	79	(714/4.ccls. and 709/223-229.ccls.) and @ad<"19990930"	US-PGPUB; USPAT	OR .	OFF	2004/10/07 12:00
S12 3	-	((((socket or port) near2 number) same (unique or identif\$6)) and ((server same (count\$3 or number) near2 (total or max\$4 or threshold)) same (user\$1 or connection\$1 or session\$1))) and @ad<"19990930"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/16 22:37
S12 4	1	"6259705".pn.	US-PGPUB; USPAT	OR	OFF	2005/10/16 23:08
S12 5	83	(714/4.ccls. and 709/223-229.ccls.) and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2005/10/17 07:11
S12 6	2	("6877036" "6259705").pn.	US-PGPUB; USPAT	OR ·	OFF	2006/08/04 13:30
S12 7	32	((((port or socket) near2 number) same server) same (unique near2 (ID or identification or value))) and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2006/08/04 13:49
S12 8	0	S127 and @pd>"20051001"	US-PGPUB; USPAT	OR	OFF	2006/08/04 13:50
S12 9	22	(((name or id or identification or unique) near4 port same port near2 server) same ((count or total or maximum or number) same (session\$1 or log\$4))) and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2006/08/04 13:50
S13 0	0	S129 and @pd>"20051001"	US-PGPUB; USPAT	OR	OFF	2006/08/04 13:52
S13 1	48	707/10.ccls. and (user near2 (list or table)) and (group near2 (list or table)) and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2006/08/04 13:51
S13 2	0	S131 and @pd>"20051001"	US-PGPUB; USPAT	OR	OFF	2006/08/04 13:51
S13 3	6	(((server same (count\$3 or number) near2 (total or max\$4 or threshold)) same (user\$1 or connection\$1 or session\$1)) same (((socket or port) same number) same (unique or identif\$6))) and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2006/08/04 13:52
S13 4	0	S133 and @pd>"20051001"	US-PGPUB; USPAT	OR	OFF	2006/11/09 11:51
S13 5	16	group near user with "access server"	US-PGPUB; USPAT	OR	OFF	2006/08/04 13:53

	<u> </u>					
S13 6	4	S135 and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2006/08/04 14:06
S13 7	5879	blair.xa. douglas.xa.	US-PGPUB; USPAT	OR	OFF	2006/08/04 14:06
S13 8	17	blair.xa. and douglas.xa.	US-PGPUB; USPAT	OR	OFF	2006/08/04 14:23
S13 9	81	concatenat\$3 with port with ("IP address" or identifier or URL or "domain name")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 14:24
S14 0	25	S139 and @ad<"19999030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 11:26
S14 1	85	concatenat\$3 with port with ("IP address" or identifier or URL or "domain name")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 11:25
S14 2	. 25	S141 and @ad<"19999030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 11:26
S14 3	. 22	S141 and @ad<"19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 11:36
S14 5	5150	709/225,229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 11:42
S14 6	14	("6931441" "6571287" "6442608" "6412077" "6412007" "7028073" "6742126").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 11:46
S14 7	23	("6931441" "6571287" "6442608" "6412077" "6412007" "7028073" "6742126").uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 11:46
S14 8	. 18	blair.xa. and douglas.xa.	US-PGPUB; USPAT	OR	OFF	2006/11/09 11:50

						· · · · · · · · · · · · · · · · · · ·
S14 9	77	(network adj access adj server) and @ad<"19980930" and port	US-PGPUB; USPAT	OR	OFF	2006/11/27 07:06
S15 0	63	"709"/\$.ccls. and (user\$1 near3 group) and counter and (access\$3 near3 user\$1) and @ad<"19990930" and (network near access\$3)	US-PGPUB; USPAT	OR	OFF	2007/04/11 12:05
S15 1	88	707/10.ccls. and @ad<"19990930" and (access\$3 near3 server) and (group near3 user\$1) and (network near3 access\$3)	US-PGPUB; USPAT	OR	OFF	2006/11/27 07:06
S15 2	20	((server same (count\$3 or number) near2 (total or max\$4 or threshold)) same (user\$1 or connection\$1 or session\$1)) same (((socket or port) same number) same (unique or identif\$6))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/11/27 07:06
S15 3	57	((((socket or port) near2 number) same (unique or identif\$6)) and ((server same (count\$3 or number) near2 (total or max\$4 or threshold)) same (user\$1 or connection\$1 or session\$1))) and @ad<"19990930"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/27 07:06
S15 4	22	(((name or id or identification or unique) near4 port same port near2 server) same ((count or total or maximum or number) same (session\$1 or log\$4))) and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2006/11/27 07:06
S15 5	266	((((socket or port) near2 number) same (unique or identif\$6 or id)) same server) same (session\$1 or log\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/27 07:06
S15 6	38	((((count or total or maximum or number) same (session\$1 or log\$4)) same (((((socket or port) near2 number) same (unique or identif\$6 or id)) same server) same (session\$1 or log\$4))) same unique) and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2006/11/27 07:06
S15 7	26	(S149 S150 S151 S152 S153 S154 S155 S156) and @pd>"20060804"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/27 07:11
S15 8	114	709/225.ccls. and @pd>"20060804"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/27 07:14

				·		· · · · · · · · · · · · · · · · · · ·
S15 9	. 2	S158 and @ad<"19990930"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/27 07:13
S16 0	1499	709/226.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/27 07:12
S16 1	699	S160 and @ad<"19990930"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/27 07:13
S16 2	3	S161 and @pd>"20060804"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/27 07:13
S16 3	1456	709/225.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/27 07:14
S16 4	2701	709/225,226.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/27 07:16
S16 5		("6,909,711" "6,961,857" "6,980, 515" "7,075,922" 2001/0047333 2002/0075844 2002/0078119 2002/0085569 2002/0089985 2002/0102999 2002/0103895 2002/0107952 2002/0122417 2002/0160811 2003/0002476 2003/0051195 2003/0065741 2003/0074576 2004/0030752).pn.	US-PGPUB; USPAT	OR	OFF	2007/04/11 10:06
S16 6	19	("6909711" "6961857" "6980515" "7075922" "20010047333" "20020075844" "20020078119" "20020085569" "20020089985" "20020102999" "20020103895" "20020107952" "20020122417" "20020160811" "20030002476" "20030051195" "20030065741" "20030074576" "20040030752").pn.	US-PGPUB; USPAT	OR	OFF	2007/04/11 10:56
S16 7	23	("4694487" "6108306" "6151688" "6185288" "6262984" "6279054" "6324264" "6363065" "6370151" "6490344" "6513060" "6556659" "6584093" "6584529" "6625645" "6625651" "6654366" "6714515" "6765903" "6798771" "6856676" "6862626" "6883033").pn.	US-PGPUB; USPAT	OR	OFF	2007/04/11 10:59

	<del> </del>		·	ı	<u> </u>	
S16 8	42	S166 S167	US-PGPUB; USPAT	OR	OFF	2007/04/11 11:05
S16 9	257	709/225.ccls. and @pd>"20060804"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 11:07
S17 0	143	S169 and @pd>"20061127"	US-PGPUB; USPAT	OR	OFF	2007/04/11 11:07
S17 1	2955	709/225,226.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 11:07
S17 2	254	S171 and @pd>"20061127"	US-PGPUB; USPAT	OR	OFF	2007/04/11 11:08
S17 3	0	S172 and (@ad<"19990930" and @rlad<"19990930")	US-PGPUB; USPAT	OR	OFF	2007/04/11 11:09
S17 4	69	709/223-226.ccls. and (@ad<"19990930" @rlad<"19990930") and user near group and counter	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 11:51
S17 5	- 24	blair.xa. and douglas.xa.	US-PGPUB; USPAT	OR .	OFF	2007/04/11 11:57
S17 6	77	(network adj access adj server) and @ad<"19980930" and port	US-PGPUB; USPAT	OR	OFF	2007/04/11 12:05
S17 7	63	"709"/\$.ccls. and (user\$1 near3 group) and counter and (access\$3 near3 user\$1) and @ad<"19990930" and (network near access\$3)	US-PGPUB; USPAT	OR	OFF	2007/04/11 12:05
S17 8	88	707/10.ccls. and @ad<"19990930" and (access\$3 near3 server) and (group near3 user\$1) and (network near3 access\$3)	US-PGPUB; USPAT	OR	OFF	2007/04/11 12:05
S17 9	20	((server same (count\$3 or number) near2 (total or max\$4 or threshold)) same (user\$1 or connection\$1 or session\$1)) same (((socket or port) same number) same (unique or identif\$6))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 12:05
S18 0		((((socket or port) near2 number) same (unique or identif\$6)) and ((server same (count\$3 or number) near2 (total or max\$4 or threshold)) same (user\$1 or connection\$1 or session\$1))) and @ad<"19990930"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 12:05

S18 1	22	(((name or id or identification or unique) near4 port same port near2 server) same ((count or total or maximum or number) same (session\$1 or log\$4))) and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2007/04/11 12:05
S18 2	290	((((socket or port) near2 number) same (unique or identif\$6 or id)) same server) same (session\$1 or log\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 12:05
S18 3	39	((((count or total or maximum or number) same (session\$1 or log\$4)) same (((((socket or port) near2 number) same (unique or identif\$6 or id)) same server) same (session\$1 or log\$4))) same unique) and @ad<"19990930"	US-PGPUB; USPAT	OR	OFF	2007/04/11 12:05
S18 4	50	(S176 S177 S178 S179 S180 S181 S182 S183) and @pd>"20060804"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 12:05
S18 5	26	S184 and @pd>"20061101"	US-PGPUB; USPAT	OR	OFF	2007/04/11 12:06

4/16/07 8:06:19 AM C:\Documents and Settings\dblair\My Documents\EAST\workspaces\410511.wsp